


Allergy Action Plan

Student's Name: _____ D.O.B: _____ Teacher: _____



ALLERGY TO: _____

Asthmatic Yes* No *Higher risk for severe reaction

◆ STEP 1: TREATMENT ◆

Symptoms:

- If a food allergen has been ingested, but *no symptoms*:
- Mouth Itching, tingling, or swelling of lips, tongue, mouth
- Skin Hives, itchy rash, swelling of the face or extremities
- Gut Nausea, abdominal cramps, vomiting, diarrhea
- Throat † Tightening of throat, hoarseness, hacking cough
- Lung † Shortness of breath, repetitive coughing, wheezing
- Heart † Thready pulse, low blood pressure, fainting, pale, blueness
- Other † _____

Give Checked Medication:**

- EpiPen Antihistamine
- EpiPen Antihistamine
- EpiPen Antihistamine
- EpiPen Antihistamine
- EpiPen Antihistamine
- EpiPen Antihistamine
- EpiPen Antihistamine
- EpiPen Antihistamine

To be determined by physician authorizing treatment

▪ If reaction is progressing (several of the above areas affected), give EpiPen Antihistamine

The severity of symptoms can quickly change. † Potentially life-threatening.

DOSAGE

Epinephrine: inject intramuscularly (circle one) EpiPen EpiPen Jr. (see reverse side for instructions)

Antihistamine: give _____
medication/dose/route

Other: give _____
medication/dose/route

◆ STEP 2: EMERGENCY CALLS ◆

1. Call 911 (or Rescue Squad: _____) . State that an allergic reaction has been treated, and additional epinephrine may be needed)

2. Dr. _____ at _____

3. Emergency contacts:

Name/Relationship	Phone Number(s)	
a. _____	1.) _____	2.) _____
b. _____	1.) _____	2.) _____
c. _____	1.) _____	2.) _____

EVEN IF PARENT/GUARDIAN CANNOT BE REACHED, DO NOT HESITATE TO MEDICATE OR TAKE CHILD TO MEDICAL FACILITY!

Parent/Guardian Signature _____

Date _____

Doctor's Signature _____
(Required)

Date _____